Product Technical Sheet

22 Aug 2023 21:49





204.WD23E-SV001

WALL BOX 2 SOCKETS WITH CABLE

Type 2 3P+N+E 32A 400V~ 22kW 63A 400V 3P+N+E IP54 IK10 Type 2 7,5m

Product Approvals

TECHDATA		STANDARDS	AND LAWS
Commercial series	LIBERA Series	IEC 61439-7 (2018)	[International Standard] Low-voltage switchgear and controlgear assemblies -
Product type	WALL BOX 2 SOCKETS WITH CABLE	Part 7: Assemblies for specific applications such as marinas, camping sites, market squares, electric vehicle charging stations	
Synthetical description	WALL BOX 2 SOCKETS WITH CABLE	EN IEC 61851-1 (2019)	[European Standard] Electric vehicle conductive charging system - Part 1:
Material	ENGINEERING PLASTIC	DIRECTIVE LOW	TAGE 2014/35 Directive
EV standard	Type 2 3P+N+E 32A 400V~ 22kW	/UE DIRECTIVE EMC	
With integrated cable	Type 2	2014/30/UE	Compatibility Directive
Cable length	7,5m		
Cable section	5G6+1x0,5mm ²		
Rated current	63A		
Rated voltage	400V		
Working frequency	50/60Hz		
Poles	3P+N+E		
Protection degree IP	IP54		
Working temperature	-30°C/+50°C		
GLOW WIRE	GW 650°C		
Protection degree IK	IK10		
Colour	GREY		

Saline solution	Resistant	
UV protection	UV resistant	
Mounting version	SURFACE MOUNTING	
Dimensions	360x780x264mm	
HMI (Human-Machine Interfaces)	LCD 2x20 char	
EV functions	PREDISP. FOR SERIAL COMMUN.	
EV functions	CHARGE MODE 3 WITH PWM C.PILOT	
EV functions	CURRENT CONSUPTION METERING	
EV functions	PWR CONTACTOR APERTURE MONIT.	
EV functions	CHARGE MAN. IN CASE OF PWR OUT	
EV functions	WORKING IN MODE STD- ALONE FREE	
EV equipment	2 POWER SUPPLIES 24VDC 36W	
EV equipment	N/A	
EV equipment	1 BACKUP BATTERY	
EV equipment	2 STOP CHARGE P.BTN (M. FREE)	
EV equipment	2 LCD DISP. 2X20 ROWS BCKLIGHT	
EV equipment	2 CONTROL CARDS	
EV equipment	2 LIGHTING BARS WITH RGB LED	
EV equipment	1 TERMINAL STRIP 10X35MM ²	
EV equipment	2 CURRENT TRANSFORMERS	
EV equipment	2 MOD. CONTACT. 4P 40A 24VDC	
EV equipment	2 DC LEAKAGE DETECTORS	
EV equipment	2 FUSE HOLDERS 1P+N GG 4A	
EV specifications	204.WD23E-SV001	