



590.YU201253

SWITCH DISCONNECTOR

125A 3P Y4 GENERAL

Product Approvals

| TECHDATA | | STANDARDS AND LAWS | |
|-------------------------|---------------------|-------------------------------|--|
| Product type | SWITCH DISCONNECTOR | EN 60947-3 (2009) | [European Standard] Low-voltage switchgear and controlgear - Part 3: Switches, disconnectors, switch-disconnectors and fuse-combination units |
| Commercial series | COMMAND[UL] Series | EN 60947-1 (2007) | [European Standard] Low-voltage switchgear and controlgear - Part 1: General rules |
| Synthetical description | SWITCH DISCONNECTOR | EN 60947-1/A1 (2011) | [European Standard] Low-voltage switchgear and controlgear - Part 1: General rules |
| Material | THERMOPLASTIC | EN 60947-3/A1 (2012) | [European Standard] Low-voltage switchgear and controlgear - Part 3: Switches, disconnectors, switch-disconnectors and fuse-combination units |
| Type | GENERAL | UL 60947-1 | [American Standard] Low-Voltage Switchgear and Controlgear - Part 1: General rules |
| Rated current | 125A | UL 60947-4-1 | [American Standard] Low-Voltage Switchgear and Controlgear - Part 4-1: Contactors and Motor-Starters - Electromechanical Contactors and Motor-Starters |
| Poles | 3P | CSA C22.2 No. 60947-1-13 | [Canadian Standard] Low-voltage switchgear and controlgear - Part 1: General rules |
| Switch size | Y4 | CSA C22.2 No. 60947-4-1-14 | [Canadian Standard] Low-voltage switchgear and controlgear - Part 4-1: Contactors and motor-starters - Electromechanical contactors and motor-starters |
| Rated voltage | 690V | EN 60947-1/A2 (2014) | [European Standard] Low-voltage switchgear and controlgear - Part 1: General rules |
| | | EN 60947-3/A2 (2015) | [European Standard] Low-voltage switchgear and controlgear - Part 3: Switches, disconnectors, switch-disconnectors and fuse-combination units |
| | | DIRECTIVE LOW VOLTAGE 2014/35 | [European Directives] Low Voltage Directive |

/UE